

## INDEX

- Ablattaria*, 106  
Abnormalities, 24–25, 32, 186; *see also* Shell, malformed  
Acclimatization, 31, 197  
Acetaldehyde, 73, 80  
*Achatina achatina*, 18, 115, 118, 119, 174  
*Achatina albopicta*, 27, 50  
*Achatina* in continental U.S., 4, 6, 18  
*Achatina craveni*, 18, 50, 119  
*Achatina* in Europe, 17–18  
*Achatina*-free area, 45, 100, 116  
*Achatina fulica hamillei*, 24, 109  
*Achatina panthera*, 13, 132  
*Achatina rugosa*, 26, 119  
*Achatina schweinfurthi*, 125  
*Achatina stuhlmanni*, 125  
*Achatina variegata*, 118  
*Achatina zanzibarica*, 50  
*Achatina zebra*, 18, 21, 31, 124  
*Achatinella*, 113  
Activity, period of, 26–27, 33, 74–75; *see also* Movement  
Aerosol, 69, 71  
*Aethiopomyia*, 120  
Age as stress factor, 187, 192; *see also* Longevity  
Agiguan, 12, 111, 117, 123, 128, 129, 130, 133–34, 139–41, 202  
Agrihan, 13  
Aguijan; *see* Agiguan  
Air plant, 40  
Alabama, 195  
Alamagan, 13  
*Albizia*, 40  
Aldrin, 91  
*Allium*, 45  
*Alluaudinella*, 120  
*Alocasia*, 43  
*Alsophila*, 43  
Altitude, 31, 132, 197  
Alum, 62–63  
Aluminum sulphate, 63, 68, 82  
Amami Oshima, 15, 195  
*Amaranthus*, 40  
Amaryllidaceae, 40  
Amastridae, 113  
Amino acid assay, 165–66  
Ammonium alum, 63  
Ammonium chloride, 68, 82  
Ammonium sulphate, 68, 82  
Ammonium sulphocyanide, 68  
Amoy, 8, 9, 196  
Ampalaya, 40  
Amphibians, 102–5; *see also* *Bufo marinus*  
*Amphidromus*, 6  
Amphipoda, 189  
Amyl acetate, 66, 71  
*Ananas*, 46  
*Anastomus*, 115  
Anatomy, 191  
Anemotaxis, 86, 101  
Anguar, 14, 24  
Ani Jima, 6, 7, 27, 195, 197  
*Annona*, 47  
Anomalous forms; *see* Shell, malformed  
Ants, 105–6  
“Ape,” 43  
*Aphaereta*, 118  
Apple pomace, 71  
*Arachis*, 46  
Arakabesan, 14  
*Archachatina degneri*, 28  
*Archachatina marginata*, 18, 163  
*Archachatina ventricosa*, 18, 119  
Arginine, 166  
*Arianta*, 125  
*Ariolimax*, 125, 131, 147  
*Arion*, 56, 106, 124  
Arizona, 29, 175, 191, 197  
    *A. fulica* intercepted in, 4  
Arrowroot, 40  
Arsenicals, 63–66, 80, 89, 90  
*Artocarpus*, 41, 44  
Aruá; *see* *Strophocheilus*  
Ascorbic acid, 165  
Ash, 160–63

- Ashes, 66, 70, 91  
*Asplenium*, 41  
 Atrophy of organs, 28  
 Attractants, 66, 71, 73, 86  
*Auluptagel*, 14, 117  
 Australia, 179, 196  
*Australorbis*, 123  
 Autofertilization, 22  
*Averrhoa*, 41, 42  
  
*Babelthaup*, 14  
 Baboon, 122  
 Bacteria, 123, 178, 187, 189  
 Bait paints, 64–65  
 Bait requirements, 85, 87  
 Bait shelters, 77, 87  
 Banana peel, 64, 78  
 Bananas, 18, 19, 40–41  
 Bandicoot, 122, 193  
 Banyan, 59  
 Barium fluosilicate, 66  
 Barium sulphocyanide, 68  
 Barometric factor, 197; *see also* Altitude  
 Barriers, 92–94, 200  
*Bdeogale*, 122  
 Beach morning-glory, 41  
 Beach populations; *see* Populations, beach  
 Beans, 41  
 Beetles, 106–13; *see also under genus and family*  
 Bengal, 7, 9  
 Benzene hexachloride (BHC), 67  
 Betel pepper, 41, 52  
 Biological control, 32, 102–45, 201–3  
     evaluation of, 136–45  
 Bionomics, 199  
 Biotic potential; *see* Reproductivity  
 Birds, 32, 60, 89, 113–16, 121  
 Bird's-nest-fern, 41  
*Birgus latro*; *see* Coconut crab  
 Biscuit baits, 76, 81  
 Bismarck Archipelago, 6  
 Climbing, 41  
 Blood, 25  
*Boehmeria*, 46  
 Bone flour, 68  
 Bonin Islands, 6, 31, 55, 135, 195–96; *see also* Ani Jima; Chichi Jima; Haha Jima; Higashi Shima; Muko Jima; Ototo Jima  
 Borax, 68  
 Bordeaux mixture, 67, 69, 82  
*Bothriembryon*, 118  
*Bougainvillea*, 41  
 Bounties, 98, 169, 179  
  
*Bradybaena similaris*, 51, 56, 135, 142, 192  
 Bran, wheat, 64, 65, 66, 71, 76, 81, 82, 86;  
     *see also* Rice bran; Rice husk  
*Brassica*, 42  
 Breadfruit, 41  
 Breaking plants, 52  
 Breaks in shell; *see* Shell, traumatic breaks  
 Brick baits, 64, 77–78, 88  
*Brontispa*; *see* Coconut beetles  
 Brush Barrier, 94  
*Bryophyllum*, 40  
 Buffer areas, 96  
*Bufo marinus*, 60, 102–5, 111, 180  
*Bulimulus*, 28, 105  
*Bulinus*, 124  
*Burhinus*, 115  
 Burma, 7, 11  
 Burning-over, 94–95, 168  
 Burning snails, 100  
*Burtoa*, 119  
 Bush hen, 115  
 Bush turkey, 115  
 Butyraldehyde, 80  
  
 Cabbage, 42  
 Cacao, 34, 42, 50, 52, 70, 94  
 Cactus, 42, 52  
*Caladium*, 45  
 Calcium, 22, 33–34, 39, 99, 161–64, 170; *see also* Shell, calcium, source of  
 Calcium arsenate, 63–65, 66, 75, 76, 84, 87, 88  
 Calcium arsenate-bran baits, 63, 71, 87–88  
 Calcium arsenate-lime-cement bait, 64–65, 78, 88, 90, 133  
 Calcium carbide, 68  
 Calcium carbonate in baits, 66, 68, 70, 78, 83  
 Calcium cyanide, 68  
 Calcium fluosilicate, 82  
 California, 134, 174–75, 176, 198  
*Calophyllum*, 42  
*Calopogonium*, 50  
*Calosoma*, 106  
*Camellia*, 48  
*Canna*, 40, 42  
 Cannibalism, 57, 88, 101, 126–27, 131, 139, 140, 142, 189  
 Canning snails, 147, 150, 153  
*Capsicum*, 42  
*Carabus*, 106  
 Carambola, 42  
 Carbolic acid, 68, 81, 82  
 Carbon dioxide, 164  
 Carbon disulfide, 67, 72, 91  
*Carica*, 45

- Caroline Islands, 7; *see also* Ponape; Truk Islands; Yap  
 Carotene, 164  
 Carrots, 42  
 Casein glue, 76  
 Cassava, 42, 52  
*Cassia*, 44  
 Cassowary, 115  
 Cats, 89, 105, 122-23  
 Cedar oil emulsion, 68  
 Celebes, 10  
 Cement in baits, 64, 77, 78, 87  
*Cenobita perlatus*; *see* Hermit crab  
*Centropus*, 114-15  
*Centrosema*, 44, 50  
*Cepaea*, 50, 164  
*Cereus*, 42  
 Ceylon, 8, 10, 11, 18, 19, 24, 26, 32, 34, 50, 51, 53, 54, 103, 107, 109, 114, 115, 122, 181, 187-89, 193, 197  
 Charcoal, 66  
 Chemical assay, 160-65  
 Chemical control, 61-91, 201  
     evaluation of, 84-91  
 Chichi Jima, 6, 7, 19, 26, 27, 116, 149, 151-52  
 Chick feeding tests, 165-66  
 Chickens, 89, 104, 105, 113, 114, 159-60, 165-66; *see also* Poultry feed  
 Chili peppers, 42, 52  
 China, 8  
 Chloral hydrate, 68  
 Chlorcresylic acid, 68, 83  
 Chlordane, 67, 91  
 Chloropidae, 118  
 Cinders, 66  
 Circumstantial evidence, 59-60  
*Citrullus*, 45  
 Citrus, 42, 50, 66, 67, 70, 71, 84, 99, 114, 118, 132  
 Civet cat, 122  
 Clean culture, 95  
 Clearing, 95  
 Climbing; *see* Secretive habits; Trees as refuge  
 Clove oil emulsion, 68  
 Coal tar, 67  
 Cockroaches, 31, 55, 104-5  
 Coconut, 36, 42, 52, 59, 104, 126  
 Coconut beetles, 104-5, 117, 126  
 Coconut crab, 105, 117, 126, 140, 141  
 Coconut fiber, 63, 67, 70  
 Coconut meal, 71  
 Coffee, 1, 42, 50, 52, 65, 92  
 Coir, 70, 94  
 Cold, tolerance to, 11, 27, 30-31, 196, 197  
*Coleus*, 43  
*Collembola*, 189  
*Colophotia*, 108  
 Color; *see* Shell, color, variation in  
 Commensalism; *see* Symbiosis  
 Commercial use; *see* Snails in commerce  
 Comoro Islands, 13  
 Competition, 13, 33, 53, 132  
 Conchiolin, 164; *see also* Periostracum  
 Contact poisons, 68-69, 82  
 Control and religion, 20  
 Control  
     biological, 32, 102-45, 201-3  
     chemical, 61-91, 201  
     general, 201-3  
     human use as, 100, 146-71, 201-2  
     legislative, 172-79  
     mechanical devices as, 92-101, 200  
     radiation, 202  
 Copper acetoarsenate, 69  
 Copper benzoate, 69  
 Copper carbonate, 68, 69  
 Copper chloride, 69  
 Copper chromate, 69  
 Copper compounds, 69-70; *see also* Bordeau mixture; Paris green  
 Copper cyanide, 69  
 Copper ferrocyanide, 69  
 Copper sulphate, 66, 67, 68, 69-70, 72, 73, 82, 90-91, 99  
 Copper sulphocyanide, 68  
 Copra, 67  
 Coprophagy, 55-57, 154, 155  
 Coral in baits, 65  
*Corbicula*, 170  
 Corn, 43, 51, 60  
 Corn meal, 71, 77  
 Corona, 53, 70  
 Corrosive sublimate, 68, 70, 83, 89  
 Corrugated iron, 93  
*Cosmos*, 43  
 Cotton, 43, 50  
 Cover crops, 44, 49, 50  
 Cow pea, 43  
 Crabs, 116-18; *see also* Coconut crab; Hermit crab  
 Crag, 658, 70  
 Creolin, 82  
 Creosote, 68, 70, 82, 83, 92  
*Crinum*, 40, 45  
 Cross fertilization, 22  
*Crotalaria*, 44  
 Cruciferae, 49  
 Crude oil, 83

- Crushing, 97, 99, 100  
 Cryolite, 70  
 Cuba, 198  
 Cucumber, 43  
*Cucumis*, 43, 45  
*Cucurbita*, 46, 47  
 Cucurbitaceae, 43, 49  
 Cunimene 2243, 70  
 Cupric oxide, 69  
 Cuttings, 49  
*Cyclostoma*, 123
- DDT, 70, 91  
*Dadap*, 42, 44, 96  
 Damage, indirect, 52–54, 116  
 Damage to plants, 39–49  
     evaluation, 49–52  
*Damaster*, 111–12  
*Daucus*, 42  
 Dead snails and disease, 55–57; *see also* Health factor  
 Debris accumulation, 20, 57–58, 94, 95–96, 101  
 Decline, 98, 141, 145, 169, 175, 180–94, 201, 202, 203  
*Deguelia*, 44  
 Dehydration, 74, 75; *see also* Desiccation  
 Deroceras, 53, 56, 62, 63, 68, 69, 79, 80, 81, 83, 106, 124,  
 Derris, 68  
 Deserts, 197  
 Desiccation, 28, 29, 31, 86, 96, 186; *see also* Dehydration  
*Desmodium*, 44, 50  
*Diaphanes*, 107, 109  
 Dichlorobenzene, 68  
 Dieldrin, 71, 91  
 Diethylparanitrophenyl thiophosphate, 84  
 Digestive gland; *see* Hepatopancreas  
 Diluents, 66, 71  
 Dinitro-o-cyclohexylphenol, 84  
*Dioscorea*, 49  
*Discomyza*, 120  
 Disease, 139, 142, 144–45, 185–94, 202–3  
     incidence of, 188, 192, 193  
     plant, 53  
 Dispersal, 4–16, 170–71, 195–99  
     effect of lime on, 33  
     map, 5  
 Distribution; *see* Dispersal  
 Diurnal temperature fluctuation, 31, 197  
 Dogs, 89–90, 105  
*Drilus*, 106, 109, 110, 112  
 Drowning, resistance to, 6, 14, 19, 32, 97–98, 100  
*Drymaeus*, 120, 132, 186  
 Dublon, 7  
 Duck farmers, 9, 11, 114  
 Duck feed, 11, 16, 17, 32, 114, 159, 166; *see also* Poultry feed  
 Ducks, 113–14, 159, 166
- Earthworms, 89, 140  
 East Borneo, 10, 97  
 Eating snails, experiments in, 156–59; *see also* Human consumption  
 Ecological chain reactions, 53, 104–5, 117, 137, 140–44; *see also* Environmental interrelationships  
 Economic status, 36–60  
*Edentulina*, 112, 127, 128, 129, 130  
 Edible snails, 146–59  
 Egg laying, snail, 21–24  
 Egg production, poultry, effect of snails on, 166  
 Eggplant, 43  
 Eggs, snail, attacked, 103, 104, 105, 106, 108, 119, 136  
*Egilomen*, 131  
*Elaeis*, 45  
 Elephant ear, 43  
 Ellice Islands, 196  
 Embryology, 191, 199  
 Endodontidae, 113  
 Endrin, 91  
 Engine oil, 68  
 Environmental conditions, optimum, 29, 87  
 Environmental interrelationships, 53, 87, 104–5, 117, 134, 140–42; *see also* Ecological chain reactions; Molluscicides and environment  
     illustrated, 137  
*Eobania*, 106  
 Epidemic; *see* Epizootic  
 Epiphragm, 27, 31, 164  
 Epizootic, 145, 185, 186, 187–89; *see also* Disease  
 Epizootiology, 188, 191–92; *see also* Disease  
 Eradication, 26, 98, 168, 173, 194, 199–200, 203; *see also* Extermination; Extinction  
 Erosion, 53, 96  
*Erythrina*; *see* Dadap  
 Escape reaction, 34–35  
 Estivation, 20, 25–27, 28, 30, 38, 87, 95, 140, 142, 189  
 Ether solutes; *see* Fats  
 Ethylene chlorohydrin, 69  
 Ethylene dibromide, 72, 91  
 Etiology, 188, 189, 190, 202

- Euglandina*, 132, 134–35, 138, 142, 144, 192, 202  
**Euphorbiaceae**, 43  
 Evaporation in environment, 29  
 Exaggerated accounts, 36–37, 60  
 Excrement; *see* Coprophagy  
 Experimental island, qualifications, 127–28  
 Exposure; *see* Sunlight  
 Extermination, 139–40, 193; *see also* Eradication; Extinction  
 Extinction, 181–82, 193–94, 203; *see also* Eradication; Extermination  
 Factors favoring dispersal, 17–35  
 Fats, 160–63  
 Feces; *see* Coprophagy  
 Fefan, 7  
 Fences, 92–94  
 Ferns, 43  
 Ferrous sulphate, 72, 83  
 Fertilizer, 55, 162, 167–68, 170  
 Fish bait, 167  
 Fish oil emulsion, 82  
 Flame thrower, 95  
 Flies, 118–20, 144; *see also* Mosquitoes  
   breeding in shells; Myiasis; *and under*  
   *genus and family*  
   in dead snails, 55, 101, 103, 104, 105, 118–  
   20  
   vectors of disease, 55–56, 120  
 Flooding, 32, 87, 98  
 Flordia, 195, 198  
 Flower gardens, 43, 49, 60, 93, 98, 114  
 Flukes, 56–57, 108, 135  
 Food; *see* Human use; Starvation  
 Food as environmental factor, 29, 33, 39, 189  
 Form; *see* Shell, form, variation in  
 Formosa, 8, 11, 14, 15, 196  
*Fossaria*, 135  
 Frogs, 102, 103  
 Fruits, general, 52, 60  
 Fumigation, 67, 72, 80, 90, 91, 175, 176  
 Fungi, 123–24, 178, 189  
 Fungicides, 70  
 Fungous diseases, 53  
 Galactogen, 161  
 Gammexane, 72  
 Gardens; *see* Flower gardens  
 Gasoline, 68, 82  
 Genetics, 25, 142–43, 184–86, 190, 196  
*Geostilia*, 105  
 Gerontic changes, 182, 186  
 Ghana, 105, 122, 147–48  
 Giant South American snail; *see* *Strophocheilus*  
 Giant specimens, 24, 182–83, 185  
 Gilbert Islands, 196  
*Gliricidia*, 44, 96  
 Glowworms, 32, 106–9, 113, 120, 144, 184, 187; *see also* *Lamprophorus*  
 Glycogen, 161, 163  
 Goats, 123, 140  
*Gonaxis hibweziensis*, 12, 111, 112, 117, 127, 128, 129, 130, 131, 133, 134, 135, 136, 138, 139, 140, 141, 142, 143, 144, 202  
   reproductivity, 4  
*Gonaxis quadrilateralis*, 134, 202  
*Gonaxis vulcani*, 135  
*Gossypium*, 43  
 Gourd, 43  
 Grains, 51  
 Grasses, 43, 51  
 Greenhouses, 196, 197  
 Greenol, 70  
 Ground glass, 63  
 Guam, 12, 24, 54, 59–60, 93, 102, 109, 123, 134, 190, 199  
*Gulella*, 105, 130, 135  
*Gynandropsis*, 44  
 HCH, 72  
 HETP, 69  
 Haha Jima, 6, 7, 19  
 Hand collecting, 92, 94, 996, 98–100, 169, 179, 200  
 "Haole koa," 44  
*Haplotrema*, 138  
 Hardiness, 28–32  
 Harvesting snails, 169  
 Hawaii, island of, 9, 135, 173  
 Hawaiian Islands, 4, 24, 102, 110, 133, 189, 197, 202; *see also* Hawaii; Kauai; Lanai; Maui; Oahu  
   infestation, 8–9, 173  
 Health factor, 55–57, 58, 98, 100, 101, 104, 105, 119, 168, 175  
 Health hazard, molluscicides, 88–90  
*Helicella*, 106, 130, 131  
 Heliculture, 146–47, 151, 187  
*Helix aperta*, 95, 174  
*Helix aspersa*, 29, 51, 63, 66, 67, 70, 71, 73, 74, 79, 81, 84, 88, 99, 106, 114, 130–31, 138, 161, 165, 174, 186, 190  
*Helix desertorum*, 28  
*Helix pisana*; *see* *Theba pisana*  
*Helix pomatia*, 25, 56, 150, 161–63, 165, 199  
*Helix spiriplana*, 21  
 Hellebore, 82

- Helminths, 120–21  
 Hepatopancreas, 122, 123, 155–56, 158, 161–63, 165, 188  
 Heptaldehyde, 80  
 Hermaphroditism, 21  
 Hermit crab, 7, 116–17, 140  
*Herpestes*; *see* Mongoose  
*Hevea*; *see* Rubber  
 Hexachlorocyclohexane, 72  
 Hexaethyl tetraphosphate, 69  
 Hexaldehyde, 80  
 Hibernation, 25–27, 30, 165  
*Hibiscus*, 44, 45  
 Hiding; *see* Secretive habits  
 Higashi Shima, 7, 116  
*Hippelates*, 118  
 Histology, 191  
 Histopathology, 188, 191  
 Hog bristles, 83  
 Homing instinct, 33  
 Honey in baits, 65, 76  
 Hong Kong, 9, 27, 189, 196, 199, 200  
 Host response, 190  
 Host-specificity, 131, 145  
 Hot water, 99  
 Human consumption, 12, 13, 146–59; *see also* Human use  
 Human use, 18, 100, 146–71, 201–2  
 Humidity, 29, 30, 33, 39, 74, 75, 87, 189; *see also* Moisture  
 Hydration, 28  
 Hydration cycle, 26, 35  
 Hydrocyanic acid gas, 67, 72, 90, 91, 175, 176  
 Immunity, 188  
 Importation, 147  
 Incidence, disease, 188, 192, 193  
 India, 8, 9, 11, 24, 39, 191, 197  
 Indifference to snail problem, 39  
*Indigofera*, 44  
 Indirect damage, 52–54, 116  
 Indonesia, 9–10, 103, 196; *see also* East Borneo; Java  
 Insecticides, general, 91, 144  
 Interceptions; *see* Port interceptions  
 Intermediate hosts, 56, 135  
 Introduction; *see also* Dispersal  
     intentional, 17–18, 151–52, 185  
     unintentional, 18–19  
*Ipomoea*, 41, 47  
 Iron, 164  
 Ishimoto negligin, 150–51  
 Isodrin, 91  
 Isolan, 72, 88  
 Isopoda, 189  
 Jackal, 122  
 Jak, 44  
 Japan, 8, 11, 172–73, 196–97  
*Jatropha*, 141  
 Java, 9–10, 18, 24, 38, 99, 103, 108, 197  
*Johnsonia*, 118, 120  
 Jungle crow, 32, 114–15  
 Kainite, 69  
 Kalutara snail, 8  
 Kauai, 9, 135, 144, 173  
 Kerosene emulsion, 71, 72  
 Khas khas, 83  
 Koror, 14, 24, 93, 150, 185, 199  
 Kusaie, 7  
 Lack of food and water; *see* Dehydration; Desiccation; Estivation; Starvation  
*Lagenaria*, 43  
*Lamprophorus*, 106–9, 112, 144, 184, 187; *see also* Glowworms  
*Lampyris*, 106  
 "Lamtoro," 45  
 Lanai, 9  
*Laporteia*, 48  
 Large-scale farming, 96  
 Latex, 47, 51  
 Lead arsenate, 65, 76  
 Lead sulphocyanide, 68  
 Leaf analysis, 34  
 Legislation, 176–78  
 Leguminosae, 44, 49–50  
 Lesions, 142, 188–92  
 Lettuce, 44  
*Leucaena*, 44  
 Leucodermia; *see* Lesions  
 Light, 33; *see also* Sunlight; Ultraviolet  
 Liliaceae, 45  
*Limax*, 190  
 Lime; *see also* Calcium  
     in baits, 63, 64, 65, 66, 67, 69, 72–73, 77, 78, 82, 84, 86, 90  
*Limicolaria*, 21, 50, 125  
 Line Islands, 196  
 Linseed oil, 79  
 Liver; *see* Hepatopancreas  
 Livestock feed, 166, 167, 202  
 Lizards; *see* *Varanus*  
 Longevity, 21, 140; *see also* Age as stress factor  
 Loss of flesh, 32, 115  
 Loss of shell; *see* Shell, loss of  
 Louisiana, 176, 195  
*Luciola*, 106, 107, 108  
*Luffa*, 49

- Lycopersicon*, 48  
*Lymnaea*, 135  
Lysine, 165-66
- Madagascar, 13, 15, 103  
Magnesium, 164  
Magnesium fluosilicate, 82  
Malakal, 14  
Malathion, 91  
Malaya, 7, 11, 13, 15, 16, 29, 38, 114  
Maldive Islands, 11, 191  
Malungay, 45  
“Mamaki,” 46  
Mammals, 121-23  
Man  
agent of dispersal, 17-21, 57, 58, 170  
influence on environment, 20, 57  
Manganese, 163  
*Manihot*, 42  
*Mariaella*, 51  
Mariana Islands, 11-13, 15, 175; *see also* Agiguan; Guam; Rota; Saipan; Tinian  
Marshall Islands, 4, 6, 196  
Maryland, 18, 176  
Materia medica; *see* Medicine, use of snails for  
Maui, 8-9, 109, 111, 133, 134, 135, 151, 173, 199  
Mauritius, 8, 9, 13, 15, 18, 103, 133, 197  
Mechanical devices in control, 92-101, 200  
Medicine, use of snails for, 6, 7, 8, 13, 148, 150-52, 154, 171  
*Megapodius*, 115  
*Megaselia*, 118, 119  
*Melania*, 170  
Melanophores, 188  
Melanosis, 189  
*Melittobia*, 118  
Melons, 45, 116  
Mercuric chloride; *see* Corrosive sublimate  
*Meretrix*, 166  
Meta; *see* Metaldehyde  
Metaldehyde, 64, 65, 66, 67, 69, 71, 72, 73-80, 81, 84, 86, 87-88, 89, 144, 193  
baits, 76-80, 87-88  
dust, 78-80, 88, 90  
spray, 78-80, 88, 90  
Methyl alcohol, 64  
Methyl bromide, 72, 80, 91, 175  
*Metoponorthus*, 189  
Mexico, 196  
Mice, 121  
Micronesia, 8, 38, 55, 103, 104; *see also* under particular island  
Micro-organisms, 123-25, 144-45, 187; *see* also Bacteria; Fungi; Protozoa; Spirochetes; Viruses  
Migration; *see* Movement  
Migration cycle, 34-35  
*Milax*, 63, 68, 69, 70, 80, 81, 82, 84, 106  
Milk, 79  
*Mimosa*, 44, 94  
*Misanthus*, 168  
Mississippi, 195  
Mites, 7  
Moen, 7  
Moisture, 86, 87; *see also* Humidity  
Mokil, 7  
Molasses, 64, 76, 81  
Molluscicides and environment, 80, 86-87, 99-100, 101, 144, 201  
Molluscicides as supplemental measure, 94  
Moluccas Islands, 10  
*Momordica*, 40  
Mongoose, 112, 122  
Monitor lizard; *see* *Varanus*  
*Montanoa*, 45  
*Morinda*, 45  
*Moringa*, 45  
Mosquitoes breeding in shells, 57  
Movement, 34-35, 199; *see also* Activity, period of; Anemotaxis; Homing instinct; Migration cycle  
Mucus, 32, 75, 150, 155-56, 158, 189  
Muko Jima, 7  
Multiple factors, 193-94, 201, 203  
Multiple predators, 143-44, 202  
*Musa*; *see* Bananas  
Mustard solution, 68  
Mutualism; *see* Symbiosis  
*Mydaea*, 119  
Myiasis, 119  
Myxomatosis, 145  
Naphthalene, 68, 80, 82, 83  
*Natalina*, 135  
Natural enemies, paucity of, 32-33  
Nematodes, 56, 120-21, 178  
New Britain, 6, 13, 134  
New Caledonia, 4, 130  
New Guinea, 13, 130, 135  
New Ireland, 6, 13  
New Jersey, 176  
New Zealand, 196  
*Nicoria*, 126  
*Nicotiana*, 48; *see also* Tobacco  
Nicotine sulphate, 67, 68, 69, 82  
Nitrogen, 161-64  
Nocturnal habits, 27, 29, 33, 59  
North Borneo, 13, 100

- Nuisance factor, 54–55, 58  
 Nurseries, 50, 197
- Oahu, 8–9, 108, 109, 110–12, 130, 133–34, 135, 142, 173, 185–86, 191–92, 199  
 Oceania, 196  
*Ochromusca*, 119  
*Ocypode*, 117  
 Ogasawara Gunto; *see* Bonin Islands  
 Oil of lemon, 68  
 Oil palm, 45, 50, 60  
 Oil of tar emulsion, 68  
 Okinawa, 7, 8, 14, 15, 135, 195  
 Okra, 45  
*Oleacina*, 135  
 Omazene, 70  
*Omphalotropis*, 140  
 Onion, 45, 52  
*Opeas*, 103, 105  
*Opuntia*, 42  
 Orange pulp, 66  
*Orchestia*, 189  
 Orchids, 45, 78, 83, 90  
 Oregon, 176  
 Ornamentals, 49  
 Orthocalcium phosphate, 151  
*Oryctes*; *see* Coconut beetles  
*Oryza*, 46  
*Otala lactea*, 6, 28, 174  
 Ototo Jima, 7  
*Ouagapia*, 130  
 Outlook, 195–203  
*Oxychilus cellarius*, 79, 129, 130, 131  
*Oxystyla*, 21
- Pachyrhizus*, 41  
 Paddy crab, 117  
 Pagan, 13  
 Pakistan, 9  
 Palau Islands, 14, 15, 116, 134, 135, 150; *see also* Anguar; Auluptagel; Koror  
*Paludestrina*, 28  
*Panaga*, 120  
 Pandanus, 12, 45, 52  
*Papaw*; *see* Papaya  
 Papaya, 45–46, 50, 51, 52, 60, 72, 78  
 Paraffin, 76  
 Paraffin oil, 77  
*Paralaoma*, 131  
 Paraldehyde, 80  
 Parathion, 81, 91  
 Paris green, 65, 76, 81, 82, 88  
*Parkia*, 44  
*Parmarion*, 51  
*Partula*, 33, 113
- Paryphanta*, 129, 132  
*Passiflora*, 46  
 Passion flower, 46  
 Pathology; *see* Disease; Syndrome  
 "Patola," 49  
 Peanut, 46, 51  
 Peleliu, 14  
 Penicillin, 150  
 Penite, 65  
 Pepper, 46, 51  
*Pericyclocera*, 119  
 Periostracum, 24; *see also* Conchiolin  
*Phalaenopsis*, 45  
*Phaseolus*, 41  
*Pheidologeton*, 105  
 Phenol, 68, 81, 82  
 Philippine Islands, 14, 24, 135, 173  
 Phoridae, 118–20  
 Phosphate, 161–64  
 Phosphorus, 161–64  
*Phytalus*, 103  
 Pigs, 105, 122, 160, 167  
*Pila*, 154, 166, 167  
 Pineapple, 46, 52  
 Pingelap, 7  
*Piper*, 41, 46  
*Pipturus*, 46  
 Pisang; *see* Bananas  
*Planorbis*, 106  
 Plant damage; *see* Damage to plants  
 Plant debris; *see* Debris accumulation  
 Plant diseases, 53  
 Plantain, 40–41  
 Plaster of Paris, 76, 81  
 Poisonous properties; *see* Toxic factor  
*Polygyra*, 95  
 Polysaccharides, 163  
 Ponape, 7, 103, 134  
 Population dynamics, 142–43, 191, 192  
 Population evolution, 25, 39, 95, 98, 141, 142–43, 181–82, 185–86, 191  
 Population senility, 98, 182  
 Population variation, 181, 187  
 Populations  
     acid soils, 34  
     beach, 29, 83, 116, 117  
     coralline islands, 33, 162  
     diseased, 187, 192  
     volcanic islands, 162  
*Porcellio*, 189  
 Port interceptions  
     Baltimore, 176  
     California, 174–75, 176  
     New Orleans, 176  
     Newark, 176

- Portland, 176  
 Vancouver, 176  
**Potassium**, 161–63  
 Potassium aluminum sulphate, 62–63  
 Potassium antimonyl tartrate, 84, 90  
 Potassium bichromate, 68  
 Potassium cyanide, 81  
 Potassium-magnesium chlorosulphate, 69  
 Potassium permanganate, 68, 81, 82  
 Potassium sulphocyanide, 68  
 Potassium xanthogenate, 68  
 Poultry feed, 15, 159–60, 162, 166, 170, 202;  
     *see also* Chickens; Duck feed  
 Predator-free period, 108  
 Predator-prey differential, 131, 138–40, 142  
 Predators, general, 143–44, 184, 187, 202;  
     *see also* Biological control; *and under specific type*  
 Prey-specificity, 131  
 Productivity; *see* Reproductivity  
*Prophysaon*, 56  
 Propionaldehyde, 80  
 Protection  
     of baits, 77, 87  
     by shell, 32  
 Protein, 58, 147, 161–63, 170  
 Protozoa, 123–24, 178, 189  
*Pueraria*, 44, 50, 193  
 Pumpkin, 46  
 Pygmy specimens, 24  
 Pyrethrum, 82  
 Pyrophyllite, 78  
 Quarantines, 11, 19, 172–79, 198  
 Queltehue, 115  
 Rabbits, 121, 145  
 Radish, 46  
 Ramie, 46  
*Rana*, 103  
*Raphanus*, 46  
 Rasping shells, 34, 57  
 Rat problems, 54–55, 122; *see also* Rats  
 Rats, 57, 60, 104, 105, 112, 117, 121–22, 140,  
     141; *see also* Rat problem  
 Rattan, 94  
 Regeneration, 32, 115, 189  
 Regulations, quarantine; *see* Quarantines  
 Repellents, 64, 73, 82–83, 85, 94  
 Reproductivity, 21–24, 140, 145, 192  
 Reptiles, 125–26  
 Réunion, 13, 14  
 Rhea, 115  
 Rhodiatox, 84  
*Rhysota*, 33  
*Rhytidia*, 129–30, 131, 135  
 Riboflavin, 165  
 Rice, 46, 51, 52  
 Rice bran, 66, 71, 77, 78, 88  
 Rice husk, 71, 78  
*Riouw Archipelago*, 10, 18  
 Road hazard, 54  
 Robber crab; *see* Coconut crab  
 Romalum, 7  
 Roses, 46  
 Rota, 11, 12, 100, 103, 116, 134  
 Rotenone, 84  
 Rubber, 34, 38, 47, 51, 60  
 Rubber-crude oil solution, 83  
*Rumina decollata*, 21, 106, 191  
 Ryukyu Islands, 15, 195–96; *see also* Amami  
     Oshima; Okinawa  
*Saccharum*; *see* Sugar cane  
 Saipan, 11, 12, 54, 102, 134  
 Salt, tolerance to, 29  
*Salvia*, 43  
 Sand, 63, 78  
 Sarawak, 15  
*Sarcophaga*, 118–20  
 Sarcophagidae, 118–20  
*Sargus*, 120  
 Sawdust, 66, 70, 71, 78, 81, 83, 94  
*Scaevola*, 47  
*Scaphinotus*, 111  
 Scarabaeidae, 113  
 Scavenging, 20, 57–58, 60  
 Sciomyzidae, 118–20  
*Sciurus*, 122  
 Secretive habits, 19, 26–27, 31, 59, 95  
 Seedlings, 49  
 Senility, 98, 182  
 Sesame, 50  
 Sexual maturity, 22  
 Seychelles, 15, 133  
 Sheep, 160  
 Shell  
     calcium, source of, 34, 57, 160, 162–64  
     chemical analysis, 162–64  
     color, variation in, 24, 25  
     distribution, effect of lime on, 33  
     form, variation in, 24–25  
     loss of, 32  
     malformed, 24–25, 32, 184; *see also* Abnormalities  
     mosquitoes breeding in, 57  
     protection, 32  
     rasping, 34, 57  
     size, variation in, 24, 182  
     traumatic breaks, 31–32, 183–84, 189

- Shell—Continued  
 variability, 24–25, 142–43, 184; *see also*  
 Variability, environmental influence  
 on  
 effect of lime on, 33  
 influence of diet on, 25  
 Shifting cultivation, 100, 168  
 Shrew, 121, 123  
 Silicate clay, 78  
 Silicon dioxide, 162, 164  
 Singapore, 8, 10, 15, 17, 189  
 Sisal, 50  
 Size; *see* Shell, size, variation in  
 Slime; *see* Mucus  
 Slugs, 56, 178; *see also under genus*  
 Slugs, snails, comparison, 64, 73, 76, 85  
 Snail-free period, 38  
 Snail meal, 160–71  
 Snails  
 in commerce, 146–47, 150–51, 152, 153,  
 158–59, 169–70  
 as food; *see* Human consumption; Hu-  
 man use  
 predatory, 126–36; *see also* *Edentulina*;  
*Euglandina*; *Gonaxis*  
 preparation of, 147–48, 149, 153, 154, 155,  
 157–58  
 Snakes, 123, 126  
 Soap solution, 83  
 Sodium arsenate, 65  
 Sodium arsenite, 65, 89  
 Sodium carbonate, 68, 82  
 Sodium chloride, 83, 99  
 Sodium dinitro-orthocresylate, 83  
 Sodium fluoaluminate, 70  
 Sodium fluoride, 82, 83  
 Sodium fluosilicate, 64, 75, 76, 83, 88  
 Sodium hydroxide, 68, 82  
 Sodium hyposulphite, 68  
 Sodium nitrate, 68, 83  
 Sodium silicofluoride, 68  
 Sodium sulphocyanide, 68  
 Soil  
 acid, 34, 53  
 alkalinizing, 34, 53, 168  
 consumption of, 57, 163  
 coralline, 33, 168  
 eggs and adults in, 19  
 erosion, 50, 53, 96  
 leaching, 96, 168  
 lime supply, 33  
 and molluscicides, 65, 66, 73, 78, 83, 87,  
 90–91  
 nitrogen, 50  
 nutrients, 96  
*Solanum*, 43  
*Solenopsis*, 105  
 Soot, 84  
 Soursop, 47  
 South America, 196  
 South Pacific, 4  
*Spinophora*, 120  
 Spirochetes, 123, 189  
 Squash, 47  
 Squirrel, 122  
 Staple crops, 47, 52  
 Starvation, 28, 29, 142, 183, 186  
 Sterility, 131, 182–83  
 radiation, 202  
 Stomach poisons, miscellaneous, 84  
 Strains, pathogens, 190, 191  
*Strangesta*, 129, 130–31, 136  
 Stratiomyidae, 120  
*Streptaxis*; *see* *Gonaxis*  
 Stress, 189  
*Strophocheilus*, 1, 65, 92, 148  
 Strychnine sulphate, 84  
 Submersion, tolerance to; *see* Drowning,  
 resistance to  
*Subulina octona*, 56, 135, 192, 193  
 Sugar in baits, 64, 65, 76, 81, 84, 86  
 Sugar cane, 47, 51, 53, 59, 103  
 Sulphocyanides, 84  
 Sulphur, 68, 73, 82  
 Sumatra, 10  
*Suncus*, 123  
 Sunlight, 29, 74, 75, 86, 87, 93, 96, 101, 105,  
 183; *see also* Light  
 Sweet potato, 12, 47, 52, 59  
 Sword grass, 168  
 Symbiosis, 124–25  
 Symptomatology; *see* Disease; Syndrome  
 Syndrome, 185–92; *see also* Disease  
 Synergism, 91, 194  
 Taboo, 20  
 Tahitian spinach, 49  
 Tanglefoot, 82  
 Tapeworms, 56  
 Taro, 48, 52  
 Tartar emetic, 84, 90  
 Tea, 34, 48, 52, 53  
 Teakwood, 48  
*Tectona*, 48  
*Teffus*, 110–13, 129, 133, 144  
 Temperature, 28, 29, 31, 33, 39, 75, 87, 197  
 fluctuation, 31, 197  
*Tephrosia*, 44  
 Tetanoceridae, 120  
 Thailand, 15, 190

- Theba pisana*, 50, 63, 64, 67, 69, 72, 83, 95, 99, 113, 114, 147, 174, 199–200  
*Theobroma*, 42  
*Thermophilum*, 111  
*Thespesia*, 48  
Thiamine, 165  
Thiourea, 68  
Ticks, 125  
Tinian, 11, 12, 38, 103, 134  
Toads; *see Bufo marinus*  
Tobacco, 44, 48, 52, 60  
Tobacco dust, 68, 82, 83  
Tomato, 48  
*Torenia*, 43  
Toxic factor  
  in consumption by cannibal snails, 131, 142  
  in consumption of giant toad, 59–60, 104–5  
  in human consumption of snails, 155–56  
Toxicant, requirements, 86–87  
Toxicology, 61–91  
Transmission, 188–89  
Traps, 100–101  
Trauma, 31–32  
Traumatic breaks; *see Shell, traumatic breaks*  
Tree nettle, 48, 52  
Trees as refuge, 26–27  
*Triodopsis*, 106, 123, 147  
Truk Islands, 7, 19, 134  
Tuberculosis, 13, 150, 151, 152  
Turkeys, 114  
Turtle, 126  
Ultraviolet, 96  
Uman, 7  
Uncultivated plants, 49  
United States, 176, 195, 196, 197  
Unjust charges, 59–60  
“Upo,” 43  
Urukthapel, 14  
Valeraldehyde, 80  
Vancouver, 176  
*Vanda*, 45  
*Varanus*, 104–5, 125–26, 140  
Variability, environmental influence on, 25, 162–63, 166; *see also Shell, variability*  
*Varicella*, 135  
Vectors, 55–57, 189  
  plant diseases, 53  
Vegetable sponge, 49  
Vegetables, 48, 49, 98, 114  
*Ventridens*, 106  
*Veratrum*, 82  
*Veronicella*, 102, 103  
*Vetiveria*, 83  
*Victaphanta*, 129  
Vietnam, 16  
*Vigna*, 43  
Viruses, 178, 189  
Vitamin A, 164  
Vitamin assay, 164–65  
Vitamin B, 165  
Vitamin C, 165  
*Vivipara*, 6, 154, 166  
*Wandolleckia*, 118–19  
War salvage, 19, 174–76, 197  
Warfarin, 54, 84, 122  
Water content, 25, 160, 161, 163, 164  
Water loss; *see Dehydration; Desiccation*  
Watermelon, 116  
Weed killers, 65, 83, 96  
Weeds, 49  
West Indies, 4, 196  
Wheat, 51; *see also Bran, wheat*  
White arsenic, 66  
White oil emulsion, 67  
Whitewash  
  poisoned, 64–65, 84  
  snails eating off houses, 54  
Wind, 35; *see also Anemotaxis*  
Wire cages, 94  
Wire screen, 93  
*Xanthosoma*, 49  
*Xerarionta*, 28  
Yam, 49, 52  
Yam bean, 41  
Yap, 4, 7, 103  
Yeasts, 123, 189  
*Zea*, 42  
Zinc, 83, 93  
Zinnia, 49  
*Zonitidae*, 113  
*Zonitoides*, 53